
## TELEPHONY & DIALLER SDK

The Noetica Telephony & Dialler Software Development Kit (SDK) provides a modern web services collection of methods and events that allows any user application to integrate to Noetica's Voice Platform (NVP™) and SmartBound™ dialler technology without having to sacrifice any real estate on the call centre agents' screens.

For instance, CRM or line of business applications can be easily adapted to integrate with Noetica's telephony platform and predictive dialler directly from within their user interfaces. By responding to SDK events, customers can generate automatic screen pops directly in their applications whenever a call (whether inbound or predictive outbound) is delivered to the user.



In addition, customers can add custom buttons onto their application screens to present users with the option to retrieve the next record to dial from within a campaign, dial such records from the screen as well as transfer calls (blind, consultative or conference) to another colleague or externally.

Through the SDK, users can also control their telephony and dialler status by requesting breaks, log on/off or setting themselves into a busy or available state.

The following is a summary of the methods and events that are currently supported by the SDK.

GET methods	
Get Next Record	Returns the next customer to call as part of a dialler list
Get Break Reasons	Returns all break reasons on the system (e.g. "Lunch", etc.)
Get Busy Reasons	Returns a list of busy reasons configured on the system
Poll Event	Returns any new (unprocessed yet) events
Dialler Status	Returns the current dialler status
System Status	Returns the current system status
Telephony Status	Returns the current telephony status

눌
2
$\geq$
5
늗
5
<u>고</u>
9

Disposition Record  Request Login  Request Logout  Request Logout  Request Logout  Forcibly logout an agent  Request Break  Re
Request Logout Force Logout Force Logout Forcibly logout an agent Request Break Requests user break Requests user break Cancel Break Requests a return from break Set User Busy Sets user as "Busy" (no inbound or dialler calls delivered) Set User Free Reverts the action of "Busy" Set Ready Indicate that the user is ready to receive telephone calls Dial Dials a telephone number Start App Instance Returns the app to be launched and disposition codes Update App Instance Assign an entity and Customer ID to the app instance Close App Instance Close app instances so the dialler can recycle the record Update Process Step Notify of progress made in the app instance Answer Answers an offered call Hang Up Hangs up a call currently in progress Hold Call Retrieve Held Call Retrieves a held call
Force Logout  Request Break  Requests user break  Cancel Break  Set User Busy  Sets user as "Busy" (no inbound or dialler calls delivered)  Set User Free  Reverts the action of "Busy"  Set Ready  Indicate that the user is ready to receive telephone calls  Dial  Dials a telephone number  Start App Instance  Returns the app to be launched and disposition codes  Update App Instance  Close App Instance  Close app instances so the dialler can recycle the record  Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Retrieve Held Call  Retrieves a held call
Request Break Cancel Break Requests a return from break Set User Busy Sets user as "Busy" (no inbound or dialler calls delivered) Set User Free Reverts the action of "Busy" Set Ready Indicate that the user is ready to receive telephone calls Dial Dials a telephone number Start App Instance Returns the app to be launched and disposition codes Update App Instance Assign an entity and Customer ID to the app instance Close App Instance Close app instances so the dialler can recycle the record Update Process Step Notify of progress made in the app instance Answer Answers an offered call Hang Up Hangs up a call currently in progress Hold Call Retrieve Held Call Retrieves a held call
Cancel Break  Requests a return from break  Set User Busy  Sets user as "Busy" (no inbound or dialler calls delivered)  Set User Free  Reverts the action of "Busy"  Set Ready  Indicate that the user is ready to receive telephone calls  Dial  Dials a telephone number  Start App Instance  Returns the app to be launched and disposition codes  Update App Instance  Close App Instance  Close app instances so the dialler can recycle the record  Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Retrieves a held call  Retrieves a held call
Set User Busy Sets user as "Busy" (no inbound or dialler calls delivered)  Set User Free Reverts the action of "Busy"  Set Ready Indicate that the user is ready to receive telephone calls  Dial Dials a telephone number  Start App Instance Returns the app to be launched and disposition codes  Update App Instance Assign an entity and Customer ID to the app instance  Close App Instance Close app instances so the dialler can recycle the record  Update Process Step Notify of progress made in the app instance  Answer Answers an offered call  Hang Up Hangs up a call currently in progress  Hold Call Retrieve Held Call Retrieves a held call
Set User Free Reverts the action of "Busy"  Set Ready Indicate that the user is ready to receive telephone calls  Dial Dials a telephone number  Start App Instance Returns the app to be launched and disposition codes  Update App Instance Assign an entity and Customer ID to the app instance  Close App Instance Close app instances so the dialler can recycle the record  Update Process Step Notify of progress made in the app instance  Answer Answers an offered call  Hang Up Hangs up a call currently in progress  Hold Call Puts a call on hold  Retrieve Held Call Retrieves a held call
Set Ready Dial Dials a telephone number  Start App Instance Returns the app to be launched and disposition codes Update App Instance Assign an entity and Customer ID to the app instance Close App Instance Close app instances so the dialler can recycle the record Update Process Step Notify of progress made in the app instance Answer Answers an offered call Hang Up Hangs up a call currently in progress Hold Call Retrieve Held Call Retrieves a held call
Dials a telephone number  Start App Instance Returns the app to be launched and disposition codes  Update App Instance Assign an entity and Customer ID to the app instance  Close App Instance Close app instances so the dialler can recycle the record  Update Process Step Notify of progress made in the app instance  Answer Answers an offered call  Hang Up Hangs up a call currently in progress  Hold Call Puts a call on hold  Retrieve Held Call Retrieves a held call
Start App Instance  Update App Instance  Assign an entity and Customer ID to the app instance  Close App Instance  Close app instances so the dialler can recycle the record  Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Retrieve Held Call  Retrieves a held call
Update App Instance  Close App Instance  Close app instances so the dialler can recycle the record  Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Retrieve Held Call  Retrieves a held call
Close App Instance  Close app instances so the dialler can recycle the record  Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Puts a call on hold  Retrieve Held Call  Retrieves a held call
Update Process Step  Notify of progress made in the app instance  Answer  Answers an offered call  Hang Up  Hangs up a call currently in progress  Hold Call  Puts a call on hold  Retrieve Held Call  Retrieves a held call
Answer Answers an offered call  Hang Up Hangs up a call currently in progress  Hold Call Puts a call on hold  Retrieve Held Call Retrieves a held call
Hang Up Hangs up a call currently in progress Hold Call Puts a call on hold Retrieve Held Call Retrieves a held call
Hold Call Puts a call on hold Retrieve Held Call Retrieves a held call
Retrieve Held Call Retrieves a held call
Accept Offered Call Accepts an offered Inbound call
Reject Offered Call Rejects an offered Inbound call
Offered Call Timed Out Call was not Accepted or Rejected within the timeout period
Auto Logoff Cancelled Auto Logoff dialog was cancelled by the Agent
Initiate Call Transfer Initiates a call transfer
Alternate Line Swaps between parties in a consultation transfer situation
Complete Transfer Completes a transfer by removing the original agent
Abandon Transfer Abandons an initiated transfer
EVENTS methods
Telephony Abstract base class for all other events
Message A message is sent to user
Call Offered A call is being offered to user
Call Offered Disconnected A call offered to a user has been disconnected
Call Connected A call has been connected to user
Call Disconnected A call has been disconnected from user
Operation Failed General error for asynchronous operations
Connected Incoming Transfer Call is being transferred to user
Connected Consultation A consultation call is being transferred to user
Consultation Call Disconnected A consultation call is being disconnected from user
Status Change A status (Dialler, System or Telephony) has changed

Full documentation of the SDK including all data structures can be found here: https://noeticatelephonyapiv08.azurewebsites.net/swagger

Call. 0345 0181 070
Email. marketing@noetica.com
Visit. www.noetica.com

## **Noetica London**

Office 101 The Beehive Building City Place, Gatwick RH6 OPA

## Durham office.

Unit 17, City West Business Park St. Johns Road, Meadowfield Industrial Estate Durham DH7 8ER